







# BAO TIN MANUFACTURING AND TRADING CO., LTD

Address: Phong Khe Industrial Cluster - Phong Khe Ward - Bac Ninh City - Bac Ninh Province. Factory address: Dong Dao - Lim - Tien Du - Bac Ninh.

Phone: 0222 3711 828 - Hotline (zalo): 0976 133 435

Email: toan.batico@gmail.com Facebook: facebook.com/Baotinplastic/ Website: www.baticopack.com

### **COMPANY INTRODUCTION**



### TYPICAL FACTORY AND MACHINERY IMAGES



Bao Tin Production and Trading Co., Ltd would like to send respectful greetings and cooperation to customers. Bao Tin Plastics is a company specializing in manufacturing different kinds of PE (Polyethylen) films for many applications: PE for Lamination film, PE for Coating glue film, PE greenhouse film, PE agricultural film ... We are committed to being always accompany with customers throughout their development process in particular; and contributing to the development of the plastic Packaging Industry in Vietnam in general.

Specializing in the field of PE film production, we are committed to providing customers with high quality products and the best services, meeting the needs of customers' demands and always keeping pace with the trend of the market development.

PE production line imported from India along with the automatic thickness control and dosing system originating from Italy, Bao Tin is committed to providing customers with products of high quality and suitable with individual's requirements.


Film colors: Transparent, white, black and white, blue ...

We hope to receive good cooperations with current customers as well as potential ones who will be using Bao Tin Plastics products.





We constantly update the most modern and advanced machine into our production to serve customers with the aim of providing customers with products of high quality as well as to ensure the growin prestige of our company brand name.







## **APPLICATION AND CERTIFICATION**





- The fields of application of PE film products:
- Use laminating films in food packaging, agricultural product packaging, gravure printing: confectionery packaging, coffee bags, rice packaging, pesticide packaging, seafood packaging ...
- In agriculture: installation of greenhouses, PE film covering
- Materials for Protective Film, Protective Film for product surface
- Polymeric membranes

















# Technical parameters:

Item	Unit	Specification	Standard
Film size	mm	500-2300	±2
Length	m	500-8000	
Thickness	μш	20-200	±5%
Joint			≤2
Surface treatment (corana)	dyn		38-42
Min order ( MOQ)	kg	1000	



## **Used In Complex Packaging Industry**



PE film is used for laminating films in food packaging, agricultural packaging, gravure printing: confectionery packaging, coffe bags, rice packaging, pesticide packaging, seafood packaging ... Good corona surface, good solder paste, electrostatic strength.


The common PE film structures are: PA / PE; OPP / PE; OPP / MPET / PE; OPP

/AL/PE; PET/PE; PET/AL/PE; PET/MPET/PE...

Film size: 500-2300mm / roll

Thickness: 20-200mic Length: 500-8000m / roll

Color: pure white, porcelain white, black and white, blue, green...









# **Agriculture Film**



Produced by high technology, the film has good toughness which is very suitable in the agricultural industry: greenhouse installation, PE film covering agriculture.

The Width of Film: 1200-2300mm

Thickness: 150-200mic
Length: 500- 8000m / roll
Color: Transparent

Standard size: 2200mm \* 150mic \* 1000m





**High Molecule Film** 



Not only that, PE film is also the main material for Protective Film, Surface Protection Film: Inox, Panel, Aluminum, PVC, Plastic sheet, Glass, Steel,

Wood....

The width of film: 500-1300mm

Thickness: 25-110mic Length: 200-1000m / roll

Color: Transparent, white, black and white, blue....



It is a PE film with two different properties: One side has good lamination with the aluminum surface, the other has good lamination with the plastic surface.

#### Uses:

Used with aluminum plastic panels, aluminum composite panels used in the field of construction, advertising ... including indoors and outdoors

The width of Film: 1100-1250mm

Thickness: 50-80mic Length: 200-1000m / roll

Color: White, black and white, blue...

